



**NEO**  
**LEADER Fan**  
EASY POW'AIR  
TECHNOLOGY

## PETROL-DRIVEN FAN MT236

A very **concentrated and ultra-powerful** jet of air due to an optimal combination of:

- ▶ A high-strength propeller matched to the power of the engine
- ▶ A red double-layer monobloc shroud made of reinforced high-density polyethylene
- ▶ A high-tech composite grille

**Positioning from 0.90 m to 6 m** in front of a door without loss of power for:

- ▶ more space to move about
- ▶ less noise inside the building

### Precise tilt adjustment

from +10° to +20° for optimization of direction of air stream up entrance steps

### Protective frame

with grey epoxy coating

**Stable & easy to handle** with large rear wheels

**Compact for easy storage in vehicle trunks**

**Automatic optimal +10° tilt** when handle raised

### Characteristics

Model	MT236 NEO	
Reference	160.10.052N	160.10.053N
<b>Open air flow</b>	<b>51 650 m<sup>3</sup>/h</b>	
<b>PPV air flow according to AMCA</b>	33 660 m <sup>3</sup> /h	
<b>Weight (dry)</b>	39,6 kg	
<b>Dimensions L x H x D</b>	550 x 560 x 490 mm	
<b>Propeller diameter</b>	420 mm	
<b>Run time at full speed</b>	2h10	
<b>Engine</b>	HONDA GX 160 engine (4-stroke) Automatic engine cutout if oil runs out. Assembly inspected and approved by Honda Motor Co., Ltd	
<b>Engine power</b>	4.8 HP according to standard SAE J1349 of 2007	
<b>Noise level</b>	93 dB at 3 m	
<b>Ventilation type</b>	PPV blowing	
<b>Application</b>	Single door, e.g. house, small apartment block	
<b>-10° prop for negative tilt of fan</b>	No	Yes

### Optional accessories:

CO-reducing LEADER Cat catalytic converter	<b>160.20.142</b>	Exhaust adapter	<b>160.20.014</b>
Mister without coupling (products with coupling: see p. 52)	<b>160.20.104</b>	Exhaust extension (length: 2.5m)	<b>160.20.012</b>
High expansion foam adapter without coupling delivered with 35m of polyane plastic film duct (products with coupling: see p. 52)	<b>160.20.105</b>	Protective cover	<b>160.20.017</b>
Hour meter	<b>160.20.135</b>	-10° prop for negative tilt of fan	<b>160.20.130</b>
5m ventilation duct	<b>160.20.101</b>		

Ventilation tactics in the catalogue or at [www.leader-group.eu](http://www.leader-group.eu)  
 Freely downloadable interactive ventilation courses at [www.leader-educexpert.com](http://www.leader-educexpert.com)  
 As part of our policy of constant research to improve our products, we reserve the right to modify our products' characteristics at any time without notice